

# INDEX MAPS.

## T. 15 N, R. 5 E. 2<sup>nd</sup> Mer.

	227	227	226	226	225	225						
229	6	252	5	246	4	242	3	237	2	233	1	225
	251	251	246	241	237	233						
229	7	251	8	245	9	241	10	237	11	232	12	224
	250	250	245	240	236	232						
228	18	250	17	244	16	240	15	236	14	232	13	224
	249	249	244	240	235	231						
228	19	248	20	244	21	239	22	235	23	231	24	224
	248	248	243	239	235	231						
228	30	247	29	243	28	239	27	234	26	230	25	223
	247	247	242	238	234	230						
227	31	246	32	242	33	238	34	234	35	230	36	223
	222	222	222	221	221	221						

## T. 16 N, R. 5 E. 2<sup>nd</sup> Mer.

261	6	284	5	278	4	273	3	269	2	265	1	259
	283	283	277	273	269	265						
261	7	283	8	277	9	273	10	269	11	264	12	258
	282	282	277	272	268	264						
260	18	281	17	276	16	272	15	268	14	264	13	258
	281	281	276	271	267	263						
260	19	280	20	275	21	271	22	267	23	263	24	258
	280	280	275	271	267	263						
259	30	279	29	275	28	270	27	266	26	262	25	257
	279	279	274	270	266	262						
259	31	278	32	274	33	270	34	266	35	262	36	257
	256	256	256	255	255	255						

The figures on the lines refer to the page.

Township N. 10 North, Range N. 5 E. S. Mer. Ind.

Township Lines.

South Boundary. Var. 6° 30' E.

West on the S. Boundary of Sec. 36

11.07 a Sycamore 16 in. dia.

40.00 set g. sec. post from which

an Elm 24 in. dia. bears S 76° E 12 lbs. dist. 8

a Do 12 " " " N 31° W 11 " "

48.58 a Maple 24 " "

80.00 set post cor. of sec. 35 & 36 from which

a Beech 15 in. dia. bears N 65° W 10 lbs. dist. 8

a Do 18 " " " S 74° E 16 " "

Level & rate land, Beech, Sugar, Ash, Elm,  
Wickory & Upr. Spice, Pawpaw, P. Ash &c.

West on the S. Boundary of Sec. 35

31.10 a Wickory 20 in. dia.

40.00 set g. sec. post from which

a Beech 27 in. dia. bears N 42° W 19 lbs. dist. 8

a Do 12 " " " S 15° W 14 " "

48.50 a Creek 40 lbs. wide course S W

56.03 a Wickory 27 in. dia.

80.00 set post cor. of sec. 34 & 35 from which

a Beech 6 in. dia. bears S 11° E 15 lbs. dist. 8

a Wickory 21 " " " N 32° W 22 " "

Good farming land, Beech, Sugar, Ash, Elm &c.  
thick Upr. of the same. August 2. 1819

West on the S. Boundary of Sec. 34

15.76 a Wickory 21 in. dia.

40.00 set g. sec. post from which

a Sugar 10 in. dia. bears N 75° W 15 lbs. dist. 8

an Elm 30 " " " S 40° E 23 " "

69.13 a Beech 22 " "

## T. 16 N., R. 5 E., T. 1 Mer. Ind.?

80.00 set post cor. of sec. 33 & 34 from which  
 a Beech 27 in. dia. bears S 29° W 8 lbs. dist. 8  
 a Do 25 " " " N 78° W 14 " "  
 Level 2<sup>d</sup> rate land, Beech, Sugar, Ash, Elm, Oak,  
 Hickory & Upr. Spice &

---

West on the S. Boundary of Sec. 33  
 26.30 an Ash 25 in. dia.

40.00 set g. sec. post from which  
 a Beech 10 in. dia. bears S 16° W 26 lbs. dist. 8  
 a Do 18 " " " N 21° E 20 " "

53.79 an Elm 60 " "

80.00 set post cor. of sec. 32 & 33 from which  
 a Beech 14 in. dia. bears N 5° E 25 lbs. dist. 8  
 a Do 14 " " " S 33° W 18 " "  
 Land, timber & the same as on last mile

---

West on the S. Boundary of Sec. 32

10.46 a Beech 20 in. dia.

40.00 set g. sec. post from which  
 an Ash 7 in. dia. bears S 8° E 2 lbs. dist. 8  
 a Hickory 16 " " " N 55° E 8 " "

56.80 a W. Ash 20 " "

80.00 set post cor. of sec. 31 & 32 from which  
 a W. Ash 18 in. dia. bears N 62° W 18 lbs. dist. 8  
 a Do 14 " " " S 28° W 19 " "  
 Level wet land, Beech, Elm, Sugar, Upr. Same

---

West on the S. Boundary of Sec. 31

1.63 a Beech 24 in. dia.

40.00 set g. sec. post from which  
 a Sugar 20 in. dia. bears N 39° W 42 lbs. dist. 8  
 a Do 18 " " " S 38° W 34 " "

## T. 16 N., R. 5 E. 2. Mer. Ind. a

47.50 a Branch 15 lks. wide course S 4 W

48.78 a Walnut 24 in. dia.

72.40 set post cor. of T. 15 & 16 N., R. 4 & 5 E. from which  
an Ash 8 in. dia. bears N 56 E 4 lks. dist. &  
a Do 13 " " S 56 W 2 " "  
Level 2<sup>nd</sup> rate land, Beech, Ash, Oak, Hickory,  
Walnut, Buckeye; Upr. Spice, Pawpaw

## East Boundary, Var. 6.15 E.

North on the E. Boundary of Sec. 36

31.70 a Beech 18 in. dia.

40.00 set g. sec. post from which  
a Maple 20 in. dia. bears N 71 W 31 lks. dist. &  
a W. Ash 9 " " S 82 E 13 " "

65.20 a Do 27 " "

80.00 set post cor. of Sec. 25 & 36 from which  
a Beech 10 in. dia. bears S 22 E 6 lks. dist. &  
a Do 20 " " N 71 W 20 " "  
Level wet land, Ash, Elm, Maple, Beech,  
Oak & Upr. Spice &

North on the E. Boundary of Sec. 25

18.16 a B. Oak 54 in. dia.

39.00 a Branch 8 lks. wide course S E

40.00 set g. sec. post from which  
a Beech 7 in. dia. bears S 73 W 15 lks. dist. &  
a Do 10 " " N 22 E 25 " "

80.00 set post cor. of Sec. 24 & 25 from which  
an Ash 18 in. dia. bears S 33 W 20 lks. dist. &  
a Do 22 " " N 30 E 13 " "  
Good farming land, Beech, Sugar, W. Ash,  
Elm, Walnut & Upr. Spice, Pawpaw &



T. 16 N., R. 5 E. 2. Mer. Ind.<sup>a</sup>

North on the E. Boundary of Sec. 24

18.40 a Beech 18 in. dia.

40.00 set g. sec. post from which

a Beech 7 in. dia bears N 12 W 7 lbs. dist. 8

a Do 16 " " " S 72 E 25 " "

64.82 a Hickory 20 " "

80.00 set post cor. of sec. 13 & 24 from which

a Beech 16 in. dia bears N 76 E 28 lbs. dist. 8

an Ash 8 " " " S 32 W 7 " "

Good farming land, Beech, Ash, Elm, Spruce  
Hickory, Oak & Upr. Spruce same kind of timber

North on the E. Boundary of Sec. 13

11.20 an Elm 30 in. dia.

40.00 set g. sec. post from which

an Ironwood 6 in. dia bears N 57 E 7 lbs. dist. 8

a B. Oak 20 " " " S 74 W 24 " "

68.74 a W. Ash 30 " "

80.00 set post cor. of sec. 12 & 13 from which

a Buckeye 10 in. dia bears S 56 W 31 lbs. dist. 8

an Elm 16 " " " N 12 E 9 " "

Level 2<sup>d</sup> rate land, Beech, W. Ash, Elm,  
Oak, Hickory, Buckeye, Spruce & Upr. of same  
kind of timber & Spruce

North on the E. Boundary of Sec. 12

38.17 a Maple 14 in. dia.

40.00 set g. sec. post from which

an Elm 18 in. dia bears S 45 W 4 lbs. dist. 8

a Maple 6 " " " S 27 E 13 " "

54.03 an Elm 30 " "

80.00 set post cor. of sec. 1 & 12 from which

a Beech 15 in. dia bears S 71 E 17 lbs. dist. 8

T. 16 N., R. 5 E., 2<sup>d</sup> Mer. Ind.<sup>a</sup>

a Beech 14 in. diameter N 21 W 40 lbs. dwt.  
 Low wet land, Ash, Elm, Maple, Sycamore,  
 some Beech & Hickory; Upr. of same kind timber

---

North on the E. Boundary of Sec. 1

38.36 a Hickory 18 in. dia.

40.00 set of sec. port from which

a Beech 20 in. diameter S 57 W 29 lbs. dwt. &

a Do 18 " " " N 59 E 29 " "

60.48 a W. Oak 21 " "

77.00 Intersect Line of Correction 14.50 E. of  
 a port for sec. 35 & 36, T 17 N, R 5 E —  
 set port at intersection cen. of T. 16 N, R. 5 & 6 E. from  
 which a Beech 10 in. diameter S 64 W 22 lbs. dwt. &

a Do 9 " " " N 7 E 13 " "

Level 2<sup>d</sup> rate land, Beech, Sugar, Ash, Elm,  
 Oak, Hickory, Sycam &c.

---

West Boundary. Var. 6° 15' E.

North on the E. Boundary of Sec. 36, T 16 N, R 4 E

33.10 a Sugar 16 in. dia.

40.00 set of sec. port from which

a W. Ash 15 in. diameter S 31 E 13 lbs. dwt. &

a Do 13 " " " N 55 W 34 " "

67.23 a Beech 36 " "

80.00 set port cen. of sec. 25 & 36 from which

a Beech 20 in. diameter S 83 W 22 lbs. dwt. &

a Do 24 " " " S 25 E 20 " "

Level 2<sup>d</sup> rate land, Beech, Sugar, Elm, W. Ash,  
 W. Oak, Hickory &c. Upr. Spruce, Ash &c.

---

North on the E. Boundary of Sec. 25, T 16 N, R 4 E

23.82 a Sugar 30 in. dia.

T. 16 N., R. 5 E. 2<sup>d</sup> Mer. Ind. a

40.00 set of sec. post from which  
an Elm 36 in. dia. bears S 45 E 8 lbs. dist. 18  
a Beech 12 " " " N 57 E 8 " " "

62.50 a Branch 15 lbs. wide corner W

80.00 set post cor. of sec. 24 & 25 from which  
a Beech 8 in. dia. bears S 45 W 4 lbs. dist. 18  
a Hickory 7 " " " N 50 E 14 " "  
Good farming land, Beech, Sugar, Elm, Spruce,  
W. Oak, W. Ash, Hickory & thick Upr. of the  
same kind of timber

North on the E. Boundary of Sec. 24, T. 16 N., R. 4 E  
14.48 a Beech 18 in. dia.

40.00 set of sec. post from which  
a W. Ash 21 in. dia. bears N 45 E 35 lbs. dist. 18  
a Beech 18 " " " S 48 W 24 " "

70.04 a Do 18 " "

80.00 set post cor. of sec. 13 & 24 from which  
a Beech 9 in. dia. bears S 78 W 21 lbs. dist. 18  
an Elm 18 " " " N 51 E 33 " "  
Good farming land, Beech, Sugar, W. Ash, Spruce,  
W. Oak, Hickory; Upr. Spruce & Pawpaw

North on the E. Boundary of Sec. 13, T. 16 N., R. 4 E  
30.99 a Beech 20 in. dia.

40.00 set of sec. post from which  
a Beech 20 in. dia. bears West 11 lbs. dist. 18  
a Do 24 " " " East 12 " "

49.79 an Ash 22 " "

80.00 set post cor. of sec. 12 & 13 from which  
an Ash 16 in. dia. bears N 74 W 2 lbs. dist. 18  
a Do 20 " " " N 30 E 11 " "  
Good farming land, timber as last noted

T. 16 N., R. 5 E. 2. Mer. Ind. <sup>a</sup>

North on the E. Boundary of Sec. 12, T. 16 N., R. 4 E

10.90 a W. Ark 18 in. dia.

40.00 set of sec. post from which

a Gum 16 in. diameter N 40 E 16 lbs. dist. 8

a W. Ark 14 " " " N 71 W 15 " "

51.38 a Beech 24 " "

65.00 a Branch 15 lbs. wide corner N 9 W

77.00 same " 20 " " " N E

80.00 set post cor. of sec. 1 & 12 from which

a Beech 10 in. diameter S 15 E 12 lbs. dist. 8

a Do 16 " " " N 15 W 22 " "

Good farming land, Beech, Sugar, Ark, Elm,  
Gum &c.

North on the E. Boundary of Sec. 1, T. 16 N., R. 4 E

3.00 a Creek 25 lbs. wide corner N 9 W

32.69 a Beech 24 in. dia.

35.00 a Creek 40 lbs. wide corner N E

40.00 set of sec. post from which

a Beech 18 in. diameter N 73 E 22 lbs. dist. 8

and Ironwood 6 " " " N 82 W 3 " "

77.90 Intersection Line of Section 23.50 Ch. E. of a  
post cor. of sec. 35 & 36, T. 17 N., R. 4 E -

set post at intersection cor. of T. 16 N., R. 4 & 5 E. from

which a Beech 30 in. diameter N 16 E 19 lbs. dist.

& a Do 16 " " " S 80 E 12 " "

Hilly & rate land, Beech, Sugar, Ark, Poplar,  
Elm, Gum, Hickory &c. thick Wm. of the same  
kind of timber. Tuesday August 3, 1819

Surveyed by

John M. Donald  
Dep. Surveyor.



T. 16 N., R. 5 E. 2. Mer. Ind.<sup>a</sup>

## Subdivision.

North between Sec. 35 &amp; 36, T. 16 N., R. 5 E.

28.10 an Ash 16 in. dia.

40.00 set g. sec. post from which

a Beech 22 in. dia. bears S 69 E 5 lbs. dist. 8

a Dr 16 " " " N 49 W 30 " "

58.29 an Ash 15 " "

80.00 set post cor. of sec. 25, 26, 35 &amp; 36 from which

a Beech 6 in. dia. bears S 46 W 35 lbs. dist. 8

a W. Oak 6 " " " N 53 E 12 " "

Land level good 2<sup>nd</sup> rate, timber Beech, Ash, Poplar,  
Walnut, W. Oak; Underwood Spice &c.

East on Random between Sec. 25 &amp; 36

40.00 set temp. g. sec. post

80.03 Intersect E. Boundary 83 lbs. N. of post -

Land level inclining to wet 2<sup>nd</sup> rate, Beech, Ash &c.

West Connected between Sec. 25 &amp; 36

40.01 set g. sec. post at aver. dist. from which

a Beech 14 in. dia. bears N 49 E 25 lbs. dist. 8

a Dr 10 " " " N 76 W 11 " "

80.03 to sec. cor.

North between Sec. 25 &amp; 26

18.75 a Beech 12 in. dia.

40.00 set g. sec. post from which

a Sugar 14 in. dia. bears S 72 E 7 lbs. dist. 8

a Buckeye 10 " " " N 65 W 31 " "

52.05 an Ash 24 " "

80.00 set post cor. of sec. 23, 24, 25 &amp; 26 from which

a W. Oak 26 in. dia. bears N 69 E 12 lbs. dist. 8

an Ash 28 " " " S 45 W 41 " "



T. 10 N., R. 5 E. 2. Mer. Ind.<sup>a</sup>

Land level good 2<sup>d</sup> rate, Beech, Ash, Sugar &  
some Walnut, Underbrush Spice, Hazle &c.

East on Random between Sec. 24 & 25

40.00 set temp. g. sec. port.

80.29 Intersect E. Boundary 81 lbs. N. of port -  
Land level 3<sup>d</sup> rate, timber as before

West Connected between Sec. 24 & 25

40.14 set g. sec. port at aver. dist. from which  
an Ash 28 in. diameter N 40 E 11 lbs. dist 8  
a Beech 18 " " S 73 W 29 " "

80.29 to sec. cor.

North between Sec. 23 & 24

20.76 a Beech 8 in. dia.

30.25 a Do 11 " "

40.00 set g. sec. port from which  
a Beech 8 in. diameter S 1 W 15 lbs. dist 8  
a Water Beech 8 " " N 16 W 21 " "

58.16 a Beech 18 " "

80.00 set port cor. of sec. 13, 14, 23 & 24 from which  
a W. Oak 30 in. diameter N 42 E 21 lbs. dist 8  
a Beech 8 " " S 32 W 16 " "  
Land level inclining to wet 3<sup>d</sup> rate, timber  
Beech, Ash &c.

East on Random between Sec. 13 & 24

40.00 set temp. g. sec. port

79.85 Intersect E. Boundary 190 lbs. N. of port -  
Land & timber as before noted

West Connected between Sec. 13 & 24

T.M.N., R.S.E.I. Mer. Ind.<sup>a</sup>

39.92 set g.sec. post at aver. dist. from which  
 an Elm 12 in. diameter South 30 W. dist. 8  
 a Dr 10 " " " N 23 W 18 " "  
 79.85 to sec. cor.

## North between Sec. 13 &amp; 14

6.10 a Hickory 14 in. dia.  
 26.40 an Ash 16 " "  
 40.00 set g.sec. post from which  
 an Elm 16 in. diameter S 30 W 34 W. dist. 8  
 a Dr 12 " " " N 45 E 20 " "  
 59.30 a Beech 16 " "  
 80.00 set post cor. of sec. 11, 12, 13 & 14 from which  
 a R. Oak 48 in. diameter S 66 W 30 W. dist. 8  
 a Beech 20 " " " N 45 E 47 " "  
 Land level inclining to wet Prato, Beech,  
 Ash, Elm, Hickory & Underwood Spruce, P.  
 Ash. Wednesday 18<sup>th</sup> October 1820

## East on Random between Sec. 12 &amp; 13

40.00 set temp. g.sec. post  
 80.53 Intersect E. Boundary 24 7/8 W. N. of post -  
 Land level inclining to wet Prato

## West Connected between Sec. 12 &amp; 13

40.26 set g.sec. post at aver. dist. from which  
 a Maple 18 in. diameter S 77 W 19 W. dist. 8  
 a Hackberry 7 " " " N 63 E 9 " "  
 80.53 to sec. cor.

## North between Sec. 11 &amp; 12

30.74 a Beech 15 in. dia.  
 40.00 set g.sec. post from which

compd

T. 16 N., R. 5 E. 2<sup>d</sup>. Mer. Ind.<sup>a</sup>

an Ash 13 in. diam. S 87 E 26 lbs. dist. 8  
 a Dr 12 " " " S 62 W 13 " "  
 54.25 a Beech 30 " "  
 80.00 set post on. of sec. 1, 2, 11 & 12 from which  
 a Beech 16 in. diam. S 16 E 7 lbs. dist. 8  
 a Dr 23 " " " N 46 W 20 " "  
 Land level inclining to wet 3<sup>d</sup> rate, Beech, Ash,  
 Elm, Hickory; Underwood Spice, P. Ash &c.

---

## East in Random between Sec. 10 &amp; 12

40.00 set temp. g. sec. post  
 80.50 Intersect E. Boundary 247 lbs. N. of post -  
 Land level inclining to wet 3<sup>d</sup> rate, Beech, Ash, Elm  
 &c. Underbrush Spice, P. Ash &c.

---

## West Connected between Sec. 10 &amp; 12

40.25 set g. sec. post at area. dirt from which  
 a Beech 22 in. diam. S 47 W 14 lbs. dist. 8  
 a Dr 5 " " " N 20 W 19 " "  
 80.50 to sec. cor.

---

## North between Sec. 1 &amp; 2

11.80 a Beech 12 in. dia.  
 25.79 a Dr 16 " "  
 40.00 set g. sec. post from which  
 a Beech 8 in. diam. S 45 W 28 lbs. dist. 8  
 an Ash 24 " " " N 23 E 25 " "  
 41.79 a Dr 22 " "  
 72.86 Intersect Line of Connection & set post on. of sec. 10 & 2  
 from which  
 a Beech 13 in. diam. N 74 E 25 lbs. dist. 8  
 a W. Oak 4 " " " S 36 W 7 " "  
 Land level, 1<sup>st</sup> 1/2 mile inclining to wet 3<sup>d</sup> rate,

T. 16 N., R. 5 E. 2. Mer. Ind. <sup>a</sup>

last 1/2 mile 2. rate, Beech, Ash, Elm, Hickory,  
Sugar, Underwood Spice & P. Ash &c.

## North between Sec. 34 &amp; 35

16.20 a Beech 14 in. dia.

40.00 set g. sec. post from which

a Beech 16 in. dia. bears S 17° W 32 lbs. dist. 8

a Do — " " " N 2 E 21 " "

41.65 a Do 12 " "

70.55 a Do 13 " "

80.00 set post on g. sec. 26, 27, 34 & 35 from which

a Beech 9 in. dia. bears N 20° W 8 lbs. dist. 8

a Do 6 " " " S 47° E 19 " "

Land level 2. rate, Beech, Ash, Sugar, Upr. Spice &c.

## East on Random between Sec. 26 &amp; 35

36.50 a dry Branch 8 lbs. wide course S

40.00 set temp. g. sec. post

60.75 a Stream 15 lbs. wide course S W

79.69 Intersect N & S line 20 lbs. S. of post —

Land rolling 2. rate, timber as before

## West Connected between Sec. 26 &amp; 35

39.84 set g. sec. post at aver. dist. from which

a Beech 16 in. dia. bears N 73° E 11 lbs. dist. 8

a Do 12 " " " S 64° W 33 " "

79.69 to sec. cor.

## North between Sec. 26 &amp; 27

12.75 a W. Oak 16 in. dia.

40.00 set g. sec. post from which

a Maple 22 in. dia. bears S 59° W 11 lbs. dist. 8

an Elm 10 " " " N 68° E 20 " "

T. 10 N., R. 5 E. 2. Mer. Ind.<sup>a</sup>

56.32 an Ash 16 in. dia.

72.29 an Elm 24 " "

80.00 set port cor. of sec. 22, 23, 26 & 27 from which  
a Beech 18 in. dia bears S 47 E 7 lbs. dist. 8  
a Do 6 " " " N 36 W 29 " "

Land level inclining to wet S. rate, Ash, Elm,  
Beech, Sugar - Hudsbrook Spice, P. Ash &c.

---

East on Random between Sec. 23 & 26

40.00 set temp. of sec. port

79.70 Intersect N. S. line 22 lbs. S. of port -

Land, timber &c. the same as on the last line

---

West Connected between Sec. 23 & 26

39.85 set of sec. port at over. dist. from which  
a Sugar 15 in. dia bears N 19 W 9 lbs. dist. 8  
a Beech 8 " " " S 13 W 22 " "

79.70 to sec. cor. 19<sup>th</sup> October 1820

---

North between Sec. 22 & 23

17.75 a Beech 12 in. dia.

30.08 an Elm 15 " "

40.00 set of sec. port from which  
an Ash 15 in. dia bears N 11 E 30 lbs. dist. 8  
a Do 6 " " " S 47 W 9 " "

67.40 a Do 24 " "

80.00 set port cor. of sec. 14, 15, 22 & 23 from which  
a Sugar 12 in. dia bears S 47 W 22 lbs. dist. 8  
a Beech 11 " " " N 76 E 15 " "

Land level inclining to wet S. rate, Beech,  
Ash, Hickory - Wg. Spice, P. Ash

---

East on Random between Sec. 14 & 23



T. 16 N., R. 5 E. 2<sup>d</sup> Mer. Ind.<sup>a</sup>

40.00 set temp. g. sec. port

79.48 Intersect N & S. line 19 lbs. N. of port -  
Land level wet 3<sup>d</sup> rate

---

West Connected between Sec. 14 & 23

39.74 set g. sec. port at aver. dist. from which  
a Maple 17 in. dia bears N 37 E 5 lbs. dist. is  
a R. Oak 15 " " " S 74 W 28 " "

79.48 to sec. cor.

---

North between Sec. 14 & 15

4.08 an Ash 24 in. dia.

40.00 set g. sec. port from which  
a Beech 11 in. dia bears S 4 W 36 lbs. dist. is  
a Do 5 " " " N 45 E 13 " "

63.30 an Ash 16 " "

80.00 set port cor. of sec. 10, 11, 14 & 15 from which  
a Sugar 15 in. dia bears S 61 W 6 lbs. dist. is  
a Beech 11 " " " N 89 E 32 " "  
Land level 2<sup>d</sup> rate, timber Beech, Ash, Elm, Hickory,  
W. Oak - Underbrush Spice, Prickly Ash

---

East on Random between Sec. 11 & 14

40.00 set temp. g. sec. port

79.95 Intersect N & S. line 5 lbs. N. of port -  
Land level 3<sup>d</sup> rate

---

West Connected between Sec. 11 & 14

39.97 set g. sec. port at aver. dist. from which  
a Hickory 10 in. dia bears N 36 E 9 lbs. dist. is  
an Ash 6 " " " S 25 W 15 " "

79.95 to sec. cor.

---

T. 10 N., R. 5 E. 2. Mer. Ind.<sup>a</sup>

North between Sec. 10 &amp; 11

40.00 set g. sec. port from which

a Sugar 12 in. dir bears N 41 E 32 lbs. dist. 8

a Beech 7 " " " S 21 W 6 " "

65.25 an Ark 24 " "

80.00 set port cor. of sec. 2, 3, 10 &amp; 11 from which

an Ark 24 in. dir bears S 50 E 13 lbs. dist. 8

a Do 12 " " " N 79 W 19 " "

Sand level 3 rate, Beech, Ark, Sugar, Mud-  
wood, Spice, P. Ark &c.

East on Random between Sec. 2 &amp; 11

40.00 set temp. g. sec. port

79.66 Intersect N &amp; S line 35 lbs. S. of port -

Sand level inclining to wet 3 rate, Beech, Ark, Elm &amp;c.

West Connected between Sec. 2 &amp; 11

39.83 set g. sec. port at aver. dist. from which

an Ark 18 in. dir bears N 37 E 11 lbs. dist. 8

a Beech 6 " " " S 74 W 28 " "

79.66 to sec. cor.

North between Sec. 2 &amp; 3

40.00 set g. sec. port from which

an Ark 40 in. dir bears N 29 W 9 lbs. dist. 8

a Beech 6 " " " S 14 W 24 " "

48.15 an Ark 16 " "

73.97 Intersect Line of Correction, where set port  
cor. of sec. 2 & 3 from which

a Beech 11 in. dir bears N 12 E 16 lbs. dist. 8

a Do 12 " " " S 57 W 10 " "

Sand level inclining to wet 3 rate, timber  
Beech, Ark, Elm, Sugar, Hickory, Mudwood

## T. M. N., R. 5 E. 2. Mer. Ind. a

Spice, Pickly Ash &c. Friday 20<sup>th</sup> October 1820

North between Sec. 33 &amp; 34

- 4.75 a Beech 20 in. dia.  
 20.95 a Do 18 " "  
 40.00 set g. sec. part from which  
     a Beech 20 in. dia. bears S 61 W 26 lbs. dist 18  
     a Do 8 " " " N 50 E 22 " "  
 65.63 a Do 15 " "  
 80.00 set part cor. of Sec. 27, 28, 33 & 34 from which  
     a Gum 12 in. dia. bears N 78 W 8 lbs. dist 18  
     an Ash 9 " " " N 37 E 7 " "  
 Land willing 3 rats, Beech, Ash, Hickory, Wye,  
 Spice, Beech &c.

East on Randon between Sec. 27 &amp; 34

- 40.00 set temp. g. sec. part  
 78.96 Intersect Nor. line 48 lbs. N. of part -  
 Landlord 3 rats, Beech, Ash, Sugar - Spice &c.

West Connected between Sec. 27 &amp; 34

- 39.48 set g. sec. part at over. dist. from which  
     a Red Oak 30 in. dia. bears N 29 E 10 lbs. dist 18  
     a Sugar 18 " " " S 30 W 16 " "  
 78.96 to sec. cor.

North between Sec. 27 &amp; 28

- 30.60 an Elm 7 in. dia.  
 40.00 set g. sec. part from which  
     an Ash 7 in. dia. bears N 59 E 11 lbs. dist 18  
     a Sugar 5 " " " S 30 W 5 " "  
 63.15 an Ash 13 " "  
 73.00 a Beech 20 " "

T. 10 N., R. 5 E. 2. Mer. Ind.<sup>a</sup>

80.00 set post cr. of sec. 21, 22, 27 & 28 from which  
 an Elm 8 in. diam. S 33 E 8 Ms. dist. 8  
 a Beech 7 " " " N 4 W 12 " "  
 Sand level good 2<sup>o</sup> rate, Beech, Ash, Elm  
 Sugar - Upr. Spice &c.

---

## East on Random between Sec. 22 &amp; 27

40.00 set temp. g. sec. post  
 79.86 Intersect N & S line 17 Ms. N. of post -  
 Sand level, 1<sup>o</sup> 1/2 mile 2<sup>o</sup> rate, last 1/2 mile inclin-  
 ing to wet 2<sup>o</sup> rate, Beech, Ash, Elm &c.

---

## West Connected between Sec. 22 &amp; 27

39.93 set g. sec. post at aver. dist. from which  
 a Beech 10 in. diam. S 37 E 18 Ms. dist. 8  
 a Do 8 " " " N 31 W 5 " "  
 79.86 to sec. cr.

---

## North between Sec. 21 &amp; 22

19.34 an Elm 15 in. dia.  
 34.10 a Beech 16 " "  
 40.00 set g. sec. post from which  
 a Beech 22 in. diam. N 42 E 13 Ms. dist. 8  
 a Sugar 12 " " " S 26 E 27 " "  
 58.60 an Elm 24 " "  
 77.50 a Branch 8 Ms. wide cross N W  
 80.00 set post cr. of sec. 15, 16, 21 & 22 from which  
 a Beech 20 in. diam. S 81 E 13 Ms. dist. 8  
 a Do 16 " " " N 81 W 25 " "  
 Sand level 2<sup>o</sup> rate, Beech, Ash, Sugar, Elm -  
 Upr. Spice &c.

---

## East on Random between Sec. 15 &amp; 22

T. 16 N., R. 5 E. 2. Mer. Ind.<sup>a</sup>

40.00 set temp. g. sec. ports

79.48 Intersect N & S. line 13 Ms. S. of port -

Sand & timber as before noted

---

West Corrected between Sec. 15 & 22

39.74 set g. sec. port at aver. dist. from which

a Beech 8 in. diam bears N 61° W 22 Ms. dist 18

a Do 7 " " " N 89° E 19 " "

79.48 to sec. cor.

---

North between Sec. 15 & 16

5.52 an Ark 22 in. dia.

40.00 set g. sec. port from which

a Sugar 16 in. diam bears N 11° W 12 Ms. dist 18

a Do 10 " " " S 39° W 13 " "

58.80 a Beech 16 " "

80.00 set port on g. sec. 9, 10, 15 & 16 from which

an Ark 7 in. diam bears N 23° W 16 Ms. dist 18

a Buckeye 6 " " " S 53° E 8 " "

Sand level 3<sup>d</sup> rate, Beech, Ark, Sugar, Elm,  
Underbrush Spice &c.

---

East in Random between Sec. 10 & 15

40.00 set temp. g. sec. ports

79.79 Intersect N & S. line 43 Ms. S. of port -

Sand level 3<sup>d</sup> rate, Beech, Ark, Spice &c.

---

West Corrected between Sec. 10 & 15

39.89 set g. sec. port at aver. dist. from which

a Beech 20 in. diam bears S 26° W 15 Ms. dist 18

a Do 16 " " " N 25° W 13 " "

79.79 to sec. cor. 21<sup>st</sup> October 1820

---



T. 10 N., R. 5 E. 2. Mer. Ind. <sup>a</sup>

North between Sec. 9 & 10

23.35 a W. Oak 30 in. dia.

40.00 set g. sec. post from which

a Beech 22 in. dia. bears S 51 W 13 lbs. dist. 8

a Do 16 " " " S 85 E 14 " "

41.70 an Ash 22 " "

59.30 a Beech 14 " "

71.50 a Stream 20 lbs. wide course NE

80.00 set post cor. of sec. 3, 4, 9 & 10 from which

a Beech 30 in. dia. bears N 36 W 25 lbs. dist. 8

a Do 23 " " " S 56 E 16 " "

Land level 2. rate

East on Random between Sec. 3 & 10

10.50 a Stream 25 lbs. wide course N

40.00 set temp. g. sec. post

80.00 Intersect N. S. line 105 lbs. S. of post -

Land level 2. rate, Beech, Ash, Elm, W. Oak

W. Oak, Spice, Water Beech &c.

West Connected between Sec. 3 & 10

40.00 set g. sec. post at aver. dist. from which

a Beech 8 in. dia. bears N 20 W 25 lbs. dist. 8

a Do 5 " " " S 47 E 25 " "

80.00 to Sec. cor.

North between Sec. 3 & 4

15.12 a Beech 11 in. dia.

40.00 set g. sec. post from which

a Sugar 24 in. dia. bears S 74 E 27 lbs. dist. 8

an Ash 30 " " " N 23 W 22 " "

57.80 a W. Oak 48 " "

63.70 a Beech 11 " "

T. 16 N., R. 5 E., 2<sup>d</sup> Mer. Ind.<sup>a</sup>

74.46 Intersect Line of Connection, where set post cor. of  
 sec. 3 & 4 from which  
 a Beech 16 in. dia. bears S 85° W 24 Ms. dist. 18  
 a Buckeye 9 " " " S 58° E 41 " "  
 Land level, T.  $\frac{1}{2}$  mile 2<sup>nd</sup> rate, last  $\frac{1}{2}$  mile 1<sup>st</sup>  
 rate, timber Beech, Ash, Elm, Sugar, Walnut &  
 Upr. Spice, Beech &

---

## North between Sec. 32 &amp; 33

1.25 a Stream 8 Ms. wide course S E  
 29.23 a Beech 15 in. dia.  
 40.00 Set of sec. post from which  
 a Beech 20 in. dia. bears S 83° W 19 Ms. dist. 48  
 a Do 18 " " " N 28° E 41 " "  
 44.76 a Do 16 " "  
 55.45 a Stream 12 Ms. wide course S E  
 80.00 Set post cor. of sec. 28, 29, 32 & 33 from which  
 an Elm 24 in. dia. bears S 23° E 13 Ms. dist. 18  
 a Beech 15 " " " N 6° E 23 " "  
 Land rolling 2<sup>nd</sup> rate, timber Beech, Ash,  
 Sugar; Underwood Spice &

---

## East in Random between Sec. 28 &amp; 33

40.00 Set temp. of sec. post  
 80.15 Intersect N. S. line 28 Ms. E. of post—  
 T.  $\frac{1}{2}$  mile good 2<sup>nd</sup> rate, last  $\frac{1}{2}$  mile inclining to wet,  
 Beech, Ash, Sugar, Walnut, Elm - Upr.  
 Spice, Prickly Ash &

---

## West Connected between Sec. 28 &amp; 33

40.07 Set of sec. post at aver. dist. from which  
 an Ash 18 in. dia. bears N 62° E 14 Ms. dist. 18  
 a Do 16 " " " S 54° W 33 " "

T. 16 N., R. 5 E., S. 1 Mer. Ind.<sup>a</sup>

80.15 to sec. cor.

---

North between Sec. 28 & 29

4.65 an Ash 36 in. dia.

25.00 a B. Oak 44 " "

40.00 set g. sec. post from which

an Ash 8 in. dia. bears N 66 E 5 lbs. dist. 8

a Do 6 " " " South 14 " "

43.40 a Do 24 " "

73.25 a Do 12 " "

80.00 set post cor. of sec. 20, 21, 28 &amp; 29 from which

a Beech 20 in. dia. bears S 4 E 25 lbs. dist. 8

a Do 18 " " " N 85 W 16 " "

Land rolling E. rate, Beech, Ash Sugar, Elm;  
Underbrush Spice, Black Hawk

---

East on Random between Sec. 21 & 28

40.00 set temp. g. sec. post

80.29 Intersect N &amp; S. line 33 lbs. S. of post -

First 1/2 mile E. rate, last 1/2 mile inclining to  
wet, Beech, Elm, Ash, Sugar, Spice &  
22<sup>d</sup> October 1820

---

West Connected between Sec. 21 & 28

40.14 set g. sec. post at aver. dist. from which

an Ash 20 in. dia. bears S 78 E 28 lbs. dist. 8

a Beech 16 " " " N 50 W 9 " "

80.29 to sec. cor.

---

North between Sec. 20 & 21

12.90 a Beech 16 in. dia.

40.00 set g. sec. post from which

a Sugar 12 in. dia. bears N 13 W 12 lbs. dist. 8

## T. 16. N., R. 5 E. 2. Mer. Ind. a

a Beech 15 in. dia. leans S 48° W 12 lbs. ditto S  
 59.90 a Do 24 " "  
 80.00 set post cor. of sec. 16, 17, 20 & 21 from which  
 a Beech 18 in. dia. leans S 10° W 26 lbs. ditto S  
 a Do 15 " " " N 47° E 7 " "  
 Land level Prato, Beech, Ash, Sugar, W. Oak,  
 Underwood Spice &c.

---

## East on R. 5 E. between Sec. 16 &amp; 21

40.00 set temp. g. sec. post  
 80.04 Intersect N & S. line 7 lbs. S. of post—  
 Land, timber &c. as before noted

---

## West Connected between Sec. 16 &amp; 21

40.02 set g. sec. post at aver. ditto from which  
 a Beech 11 in. dia. leans S 12° W 8 lbs. ditto S  
 a Do 10 " " " N 15° E 15 " "  
 80.04 to sec. cor.

---

## North between Sec. 16 &amp; 17

3.77 a Beech 15 in. dia.  
 11.65 a Stream 10 lbs. wide course E  
 18.28 a Beech 24 in. dia.  
 40.00 set g. sec. post from which  
 a R. Oak 18 in. dia. leans S 42° W 14 lbs. ditto S  
 a Hickory 6 " " " N 27° E 14 " "  
 43.25 a Beech 12 " "  
 48.05 a Stream 15 lbs. wide course NE  
 80.00 set post cor. of sec. 8, 9, 16 & 17 from which  
 a Hickory 18 in. dia. leans S 50° E 16 lbs. ditto S  
 an Elm 12 " " " N 55° W 41 " "  
 Land level Prato, Beech, Ash, Sugar, W. Oak—  
 Wyr. Spice

---

T. 16 N., R. 5 E. 2<sup>d</sup>. Mer. Ind. <sup>a</sup>

East on Random between Sec. 9 & 16

40.00 set temp. g. sec. port

67.45 a Stream 25 lbs. wide course N

79.57 Intersect N & S. line 31 lbs. N. of port -  
Land level 2<sup>d</sup> rate

West Connected between Sec. 9 & 16

39.78 set g. sec. port at aver. dist. from which  
a Beech 20 in. diam bears N 28 E 10 lbs. dist. 8  
a Do 16 " " " S 61 W 15 " "

79.57 to Sec. cor.

North between Sec. 8 & 9

2.85 an Ash 24 in. dia.

25.15 a Do 24 " "

40.00 set g. sec. port from which  
a Beech 15 in. diam bears N 58 E 25 lbs. dist. 8  
a Hickory 10 " " " S 67 W 16 " "

52.50 a W. Oak 42 " "

66.50 a Beech 15 " "

80.00 set port cor. of sec. 4, 5, 8 & 9 from which  
a Beech 16 in. diam bears S 79 W 32 lbs. dist. 8  
a Do 20 " " " S 61 E 32 " "  
Land level 2<sup>d</sup> rate, Beech, Ash, Sugar, W. Oak,  
Wyr. Spice &c.

East on Random between Sec. 4 & 9

40.00 set temp. g. sec. port

79.45 Intersect N & S. line 121 lbs. N. of port -

Land level, soil thin, Beech, Ash, Hickory -  
Wyr. Spice &c.

West Connected between Sec. 4 & 9



T. 16 N., R. 5 E. 2. Mer. Ind.<sup>a</sup>

39.72 set g. sec. part at aver. dist. from which  
 a R. Oak 24 in. diam. S 50 E 20 lbs. dist. 8  
 a Hickory 7 " " " N 29 W 20 " "  
 79.45 to sec. cor.

## North between Sec. 4 &amp; 5

4.25 a Beech 15 in. diam.  
 13.23 a W. Oak 30 " "  
 40.00 set g. sec. part from which  
 a Beech 18 in. diam. N 74 W 22 lbs. dist. 8  
 a Do 13 " " " S 89 E 30 " "  
 57.90 a Hickory 24 " "  
 73.56 Intersect Line of Correction set part cor. of sec.  
 4 & 5 from which  
 a Hickory 8 in. diam. S 81 E 2 lbs. dist. 8  
 a Do 28 " " " N 14 W 9 " "  
 Land level 2<sup>o</sup> rate, Beech, Ash, W. Oak, Sugar, Elm  
 Upr. Spice, Beech & Monday 23<sup>o</sup> October 1820

## North between Sec. 31 &amp; 32

4.25 a Beech 26 in. diam.  
 14.65 an Ash 14 " "  
 40.00 set g. sec. part from which  
 a Beech 18 in. diam. S 27 E 12 lbs. dist. 8  
 a Do 16 " " " N 29 W 26 " "  
 56.20 an Ash 16 " "  
 67.08 a Beech 8 " "  
 80.00 set part cor. of sec. 29, 30, 31 & 32 from which  
 an Elm 16 in. diam. S 69 W 13 lbs. dist. 8  
 a Beech 12 " " " N 47 E 4 " "  
 Land level 2<sup>o</sup> rate, timber Beech, Ash, Sugar,  
 W. Oak - Upr. Spice

## T. 16 N., R. 5 E., S. 2 Mer. Ind. a

East on Random between Sec. 29 &amp; 32

40.00 set temp. g. sec. port

79.58 Intersect N. S. line 9 Ms. S. of port -

Land level inclining to wet S. rate, Beech, Ash,  
Elm, Hickory - Upr. Spice, Prickly Ash &c.

West Concited between Sec. 29 &amp; 32

39.79 set g. sec. port at aver. dist. from which

a Sugar 22 in. diam. N 97 W 19 Ms. dist. 8

a Walnut 10 " " " S 21 W 20 " "

79.58 to sec. cor.

West between Sec. 30 &amp; 31

13.65 a Beech 24 in. dia.

40.00 set g. sec. port from which

a Beech 18 in. diam. S 70 E 25 Ms. dist. 8

a Do 15 " " " N 80 W 25 " "

48.78 an Elm 30 " "

51.75 an Ash 30 " "

71.64 Intersect W. Boundary 31 Ms. N. of port -

set port at intersection on g. sec. 30 &amp; 31 from which

a Beech 18 in. diam. S 72 E 19 Ms. dist. 8

a Do 16 " " " N 21 E 28 " "

Land level 3 rate, Beech, Ash, Elm, Spice &amp;c.

North between Sec. 29 &amp; 30

24.28 a R. Oak 14 in. dia.

25.08 an Ash 7 in. dia.

40.00 set g. sec. port from which

a W. Oak 7 in. diam. S 45 W 24 Ms. dist. 8

a Do 8 " " " N 4 E 11 " "

51.64 an Ash 10 " "

80.00 set port on g. sec. 19, 20, 29 &amp; 30 from which

a R. Oak 18 in. diam. S 88 W 10 Ms. dist. 8

## T. 16 N., R. 5 E. 2 Mer. Ind. a

an Ash 10 in. dia. leans S 26 E 20 lbs. dist.  
 Land level good Prato, Beech, Ash, W. Oak,  
 R. Oak, Hickory - Upr. Spruce.

East on Random between Sec. 20 & 29

40.00 set temp. g. sec. post

79.57 Intersect N. S. line 16 lbs. S. of post -  
 Land & timber as before noted

West Corrected between Sec. 20 & 29

39.78 set g. sec. post at aver. dist. from which  
 a Hickory 18 in. dia. leans N 15 E 9 lbs. dist. 18  
 a Beech 16 " " " S 8 W 23 " "

79.57 to Sec. cor.

West between Sec. 19 & 30

4.10 an Elm 48 in. dia.

40.00 set g. sec. post from which  
 an Elm 28 in. dia. leans S 32 E 9 lbs. dist. 8  
 a Beech 17 " " " N 88 W 30 " "

53.94 a Do 14 " "

71.32 Intersect W. Boundary 25 lbs. N. of post -  
 set post at intersection on g. sec. 19 & 30 from which  
 a W. Oak 15 in. dia. leans S 23 W 11 lbs. dist. 8  
 an Ash 11 " " " N 86 E 11 " "  
 Land level Prato, Beech, Ash, Hickory, W. Oak  
 - Upr. Spruce.

North between Sec. 19 & 20

27.25 a Maple 20 in. dia.

40.00 set g. sec. post from which  
 a Beech 18 in. dia. leans S 67 E 30 lbs. dist. 8  
 a Do 14 " " " N 43 W 29 " "

T. 16 N., R. 5 E. 2. Mer. Ind.<sup>a</sup>

56.70 an Ash 30 in. dia.

80.00 set post cor. of sec. 17, 18, 19 & 20 from which  
a Beech 12 in. dia. bears N 57° W 23 lbs. dist. 8  
a Do 8 " " " S 43° E 30 " "  
Land level 3. rate, Beech, Ash, Hickory

East on Pradon between Sec. 17 & 20

40.00 set temp. g. sec. post

79.86 Intersect N. G. line 6 lbs. N. of post -  
Land rolling 2. rate

West Gaucted between Sec. 17 & 20

39.93 set g. sec. post at aver. dist. from which  
a Beech 10 in. dia. bears N 5° E 17 lbs. dist. 8  
a Dogwood 5 " " " S 25° W 26 " "  
79.86 to sec. cor.

West between Sec. 18 & 19

5.65 a Elm 30 in. dia.

18.75 a Beech 14 " "

40.00 set g. sec. post from which  
an Elm 10 in. dia. bears N 35° W 17 lbs. dist. 8  
a Do 8 " " " S 22° E 21 " "

53.35 an Ash 24 " "

71.70 Intersect W. Boundary 100 lbs. N. of post -  
set post at intersection cor. of sec. 18 & 19 from which  
an Elm 30 in. dia. bears S 31° E 16 lbs. dist. 8  
a Maple 23 " " " N 12° W 22 " "  
Land level inclining to wet 3. rate, Beech, Ash,  
Hickory, Elm - Upr. Spruce &  
Tuesday 24<sup>th</sup> October 1820

North between Sec. 17 & 18

## T. 16 N., R. 5 E. 2. Mer. Ind. a

26.54 a Beech 24 in. dia.

40.00 set g. sec. port from which

a Beech 18 in. dia. bears S 88 W 17 lbs. dist. 8

a Dr 8 " " " N 63 E 10 " "

55.08 a Dr 20 " "

80.00 set port cor. of sec. 7, 8, 17 & 18 from which

a Beech 16 in. dia. bears S 27 E 8 lbs. dist. 8

a Dr 12 " " " N 15 W 46 " "

Land level 3<sup>rd</sup> rate, Beech, Ash, Hickory

East on Random between Sec. 8 & 17

40.00 set temp. g. sec. port

79.82 Intersect N. G. line 87 lbs. S. of port -

Land level inclining to wet 3<sup>rd</sup> rate, Beech, Ash,  
Hickory; Underbrush Spice, Pockly Ash &c.

West Connected between Sec. 8 & 17

39.91 set g. sec. port at aver. dist. from which

an Ash 33 in. dia. bears N 57 E 33 lbs. dist. 8

a Beech 11 " " " S 81 W 29 " "

79.82 to sec. cor.

West between Sec. 7 & 18

23.90 a Lynn 28 in. dia.

40.00 set g. sec. port from which

a Beech 15 in. dia. bears N 27 W 24 lbs. dist. 8

a Dogwood 4 " " " S 28 E 4 " "

45.65 an Ash 20 " "

71.58 Intersect W. Boundary 120 lbs. N. of port -

set port at intersection cor. of sec. 7 & 18 from which

a Beech 16 in. dia. bears N 86 W 43 lbs. dist. 8

a Dr 12 " " " S 51 E 25 " "

Land level 2<sup>nd</sup> rate, Beech, Ash, Hickory, W. Oak -



T. H. N., R. S. E. I. Mer. Ind<sup>a</sup>.

Upr. Spruce &amp;c.

North between Sec. 7 &amp; 8

16.35 a Beech 22 in. dia.

40.00 set g. sec. post from which

an Ash 17 in. dia. bears S 26 E 16 lbs. dist. 8

a Beech 8 " " " N 22 W 7 " "

68.28 an Ash 12 " "

80.00 set post cor. of sec. 5, 6, 7 &amp; 8 from which

a Beech 12 in. dia. bears N 29 E 28 lbs. dist. 8

a Do 10 " " " S 43 E 4 " "

Land level 3' rate, Beech, Ash, Hickory - Spruce &amp;c.

East in Random between Sec. 5 &amp; 8

40.00 set temp. g. sec. post

79.17 Intersect N &amp; S. line 87 lbs. S. of post -

Land &amp; timber as before noted

West Corrected between Sec. 5 &amp; 8

39.58 set g. sec. post at aver. dist. from which

a Beech 20 in. dia. bears N 51 W 30 lbs. dist. 8

a Do 16 " " " S 42 E 38 " "

79.17 to sec. cor.

West between Sec. 6 &amp; 7

11.50 a R. Oak 42 in. dia.

24.25 a Poplar 48 " "

40.00 set g. sec. post from which

a Beech 12 in. dia. bears N 12 W 24 lbs. dist. 8

a Do 8 " " " S 18 E 11 " "

52.90 a Do 12 " "

65.00 a Spring draft course NW

71.50 a Stream 12 lbs. wide course N

T. 16 N., R. 5 E. 2<sup>d</sup> Mer. Ind.<sup>a</sup>

72.07 Intersected W. Boundary 100<sup>th</sup> N. of post -  
 set post at intersection cor. of Sec. 6 & 7 from which  
 a Beech 15 in. dia. bears S 30 E 32<sup>th</sup> M. dist. 8  
 a Do 10 " " " N 61 W 27 " "  
 Land rolling & note, Beech, Ash, Hickory -  
 Underbrush Spice, Beech &c.

## North between Sec. 5 &amp; 6

9.95 a Poplar 42 in. dia.  
 21.00 a Stream 6<sup>th</sup> M. wide course N W  
 32.14 a Hickory 24 in. dia.  
 40.00 set of Sec. post from which  
 a Beech 12 in. dia. bears N 65 E 12<sup>th</sup> M. dist. 8  
 a Poplar 6 " " " S 13 W 9 " "  
 42.90 a Beech 13 " "  
 50.50 an Ash 15 " "  
 74.50 a Stream 15<sup>th</sup> M. wide course N W  
 75.53 Intersected Line of Variation & set post cor. of  
 Sec. 5 & 6 from which  
 a Sugar 10 in. dia. bears S 70 E 8<sup>th</sup> M. dist. 8  
 a Do 10 " " " N 52 W 16 " "  
 Land rolling & note, timber Beech, Ash, Hickory,  
 Sugar, Poplar; Underwood Spice &c.  
 Wednesday 25<sup>th</sup> October 1820  
 Subdivided at a Variation of 6° 15' E. by  
 John Hendricks  
 Dep. Surveyor.

I certify that the foregoing transcript of  
Field Notes of the survey of Township N. 16 North,  
in Range N. 5 East of the 2<sup>d</sup>. Principal Mer-  
idian, in the State of Indiana, has been  
compared with the original on file in this  
office, and found to be correct.

Surveyor General's Office,  
Cincinnati, March 15. 1842 } E. D. Peaine  
Sur. Genl.